# INCUBATOR SHAKER

## **IG-IS SERIES**





## FEATURES & SPECIFICATIONS

### **DESCRIPTION**

IG-IS Series incubator shakers are available with options to select from multiple sizes. All models are having cooling/ non-cooling variants. Our models are reliable, versatile and space saving and very affordable. The simplest and design and ease of operation make our incubator shaker highly efficient for microbial culturing.

### **FEATURE**

- Triple drive mechanism connected with the shaking tray for robust and balanced shaking to use for long duration.
- Easy cleaning with front drain in port to easily drain off accidental spills
- Easy to move with optional stand with wheels.
- Flexible platform to accommodate varieties of clamps and flasks, also available with sticky mat for universal use.
- Flexible screwing options to fix clamps and holders for test tubes at platform at desired positions.
- ♣ Small unit height is less than 2.5 feet allows it to use below the working bench for space saving in small labs.
- Models available with cooling as standard, non-cooling eco versions are also available on demand.
- Suitable for microbial cultures.
- ➡ Viewing window with light switch to observe during operation
- Customize options available on demand.



## **Specifications**

Shaker Speed	50-250 RPM
Orbit Dia	ø 25 mm
Accuracy	± 2% of maximum speed
Temperature range	5 °C above RT to 60 °C & with cooling 5°C -60°C (Customize temperature options available)
Resolution	0.1°C at the pt-100
Temp. accuracy	± 0.3 °C
Power supply	230V ± 10%, 50Hz

Loading Capacity with platform size (Inch)				
Flasks	12X12	16X16	18X18	24X24
50ml	19	40	45	60
100ml	12	16	18	24
250ml	9	12	16	24
500ml	4	6	8	10
1000ml	2	3	3	5
2000ml	1	2	2	4

Capacity checked with sticky mats platforms

Ordering Information		
IG-12ISC	Cooling Incubator Shaker with 12x12in platform	
IG-16ISC	Cooling Incubator Shaker with 16x16in platform	
IG-18ISC	Cooling Incubator Shaker with 18x18in platform	
IG-24ISC	Cooling Incubator Shaker with 24x24in platform	

- 1 static platform is included in all model
- ISC are cooling models. Non cooling models are having model without C i.e IG-12IS

### 1. PLC CONTROLLER



#### 2. INCUBATOR SHAKER STAND



### 3. UNIVERSAL STICKY MAT

